

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|-----------------------------------|----------------------------------|
| 16A | 0 | Left: 4.0 steps inside 25 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: On 35 yd In | 6.0 steps behind Home side line |
| 18 | 15 | Left: On 45 yd In | 4.0 steps behind Home side line |
| 19 | 12 | Left: 2.0 steps outside 50 yd In | 12.0 steps behind Home side line |
| 19A | 12 | Left: 2.0 steps outside 50 yd In | 12.0 steps behind Home side line |
| 20 | 19 | Right: 2.0 steps inside 40 yd In | 12.0 steps behind Home side line |
| 20A | 8 | Right: 2.0 steps inside 40 yd In | 12.0 steps behind Home side line |
| 21 | 14 | Right: 1.0 steps outside 45 yd In | 6.0 steps behind Home side line |
| 22 | 12 | Right: 3.5 steps outside 45 yd In | 5.75 steps behind Home side line |
| 23 | 16 | Right: 2.0 steps outside 35 yd In | 6.0 steps behind Home side line |
| 23A | 4 | Right: 2.0 steps outside 35 yd In | 6.0 steps behind Home side line |
| 24 | 8 | Right: 2.0 steps outside 35 yd In | 6.0 steps behind Home side line |
| 25 | 8 | Right: On 35 yd In | 4.0 steps behind Home side line |
| 26 | 16 | Right: 2.0 steps inside 45 yd In | 4.0 steps behind Home side line |
| 26A | 20 | Right: 2.0 steps inside 45 yd In | 4.0 steps behind Home side line |
| 26B | 4 | Right: 2.0 steps inside 45 yd In | 4.0 steps behind Home side line |
| 27 | 8 | Right: 0.5 steps outside 45 yd In | 6.0 steps behind Home side line |
| 27A | 36 | Right: 0.5 steps outside 45 yd In | 6.0 steps behind Home side line |
| 28 | 16 | Right: 2.75 steps inside 35 yd In | 3.75 steps behind Home side line |
| 29 | 16 | Right: 2.0 steps outside 45 yd In | 2.75 steps behind Home side line |
| 30 | 16 | Left: 1.25 steps outside 50 yd In | 1.5 steps behind Home side line |
| 31 | 20 | Left: 4.0 steps inside 40 yd In | 6.75 steps behind Home side line |
| 31A | 12 | Left: 4.0 steps inside 40 yd In | 6.75 steps behind Home side line |

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|------------------------------------|----------------------------------|
| 16A | 0 | Left: 2.0 steps inside 30 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: On 40 yd In | 5.25 steps behind Home side line |
| 18 | 15 | Left: 2.0 steps outside 50 yd In | 8.0 steps behind Home side line |
| 19 | 12 | Right: 2.0 steps outside 50 yd In | 12.0 steps behind Home side line |
| 19A | 12 | Right: 2.0 steps outside 50 yd In | 12.0 steps behind Home side line |
| 20 | 19 | Right: 2.0 steps outside 40 yd In | 12.0 steps behind Home side line |
| 20A | 8 | Right: 2.0 steps outside 40 yd In | 12.0 steps behind Home side line |
| 21 | 14 | Right: 3.0 steps inside 40 yd In | 6.0 steps behind Home side line |
| 22 | 12 | Right: 1.5 steps inside 40 yd In | 9.5 steps behind Home side line |
| 23 | 16 | Right: 2.75 steps inside 30 yd In | 8.75 steps behind Home side line |
| 23A | 4 | Right: 2.75 steps inside 30 yd In | 8.75 steps behind Home side line |
| 24 | 8 | Right: 2.75 steps inside 30 yd In | 8.75 steps behind Home side line |
| 25 | 8 | Right: 3.5 steps inside 30 yd In | 3.0 steps behind Home side line |
| 26 | 16 | Right: 3.0 steps outside 45 yd In | 2.25 steps behind Home side line |
| 26A | 20 | Right: 3.0 steps outside 45 yd In | 2.25 steps behind Home side line |
| 26B | 4 | Right: 3.0 steps outside 45 yd In | 2.25 steps behind Home side line |
| 27 | 8 | Right: 1.25 steps inside 40 yd In | 5.75 steps behind Home side line |
| 27A | 36 | Right: 1.25 steps inside 40 yd In | 5.75 steps behind Home side line |
| 28 | 16 | Right: 2.75 steps outside 35 yd In | 6.5 steps behind Home side line |
| 29 | 16 | Right: 1.0 steps inside 40 yd In | 4.25 steps behind Home side line |
| 30 | 16 | Right: 3.5 steps outside 50 yd In | 2.0 steps behind Home side line |
| 31 | 20 | Left: 0.25 steps inside 45 yd In | 4.5 steps behind Home side line |
| 31A | 12 | Left: 0.25 steps inside 45 yd In | 4.5 steps behind Home side line |

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|------------------------------------|-----------------------------------|
| 16A | 0 | Left: On 35 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: On 45 yd In | 7.5 steps behind Home side line |
| 18 | 15 | Right: 2.5 steps outside 50 yd In | 13.75 steps behind Home side line |
| 19 | 12 | Right: 1.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 19A | 12 | Right: 1.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 20 | 19 | Right: 1.0 steps outside 40 yd In | 14.0 steps behind Home side line |
| 20A | 8 | Right: 1.0 steps outside 40 yd In | 14.0 steps behind Home side line |
| 21 | 14 | Right: 4.0 steps outside 45 yd In | 8.0 steps behind Home side line |
| 22 | 12 | Right: 0.25 steps outside 40 yd In | 13.75 steps behind Home side line |
| 23 | 16 | Right: 1.0 steps outside 30 yd In | 11.0 steps behind Home side line |
| 23A | 4 | Right: 1.0 steps outside 30 yd In | 11.0 steps behind Home side line |
| 24 | 8 | Right: 1.0 steps outside 30 yd In | 11.0 steps behind Home side line |
| 25 | 8 | Right: 1.0 steps outside 30 yd In | 3.5 steps behind Home side line |
| 26 | 16 | Right: 0.25 steps outside 40 yd In | 2.0 steps behind Home side line |
| 26A | 20 | Right: 0.25 steps outside 40 yd In | 2.0 steps behind Home side line |
| 26B | 4 | Right: 0.25 steps outside 40 yd In | 2.0 steps behind Home side line |
| 27 | 8 | Right: 2.75 steps inside 35 yd In | 6.5 steps behind Home side line |
| 27A | 36 | Right: 2.75 steps inside 35 yd In | 6.5 steps behind Home side line |
| 28 | 16 | Right: 1.0 steps inside 30 yd In | 10.75 steps behind Home side line |
| 29 | 16 | Right: 3.5 steps outside 40 yd In | 7.0 steps behind Home side line |
| 30 | 16 | Right: 0.25 steps inside 45 yd In | 3.25 steps behind Home side line |
| 31 | 20 | Left: 3.25 steps outside 50 yd In | 3.0 steps behind Home side line |
| 31A | 12 | Left: 3.25 steps outside 50 yd In | 3.0 steps behind Home side line |

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|------------------------------------|--|
| 16A | 0 | Left: 3.0 steps inside 35 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: 3.5 steps inside 45 yd In | 9.5 steps behind Home side line |
| 18 | 15 | Right: 3.75 steps outside 50 yd In | 10.75 steps in front of Home Hash (HS) |
| 19 | 12 | Right: 3.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 19A | 12 | Right: 3.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 20 | 19 | Right: 3.0 steps outside 40 yd In | 14.0 steps behind Home side line |
| 20A | 8 | Right: 3.0 steps outside 40 yd In | 14.0 steps behind Home side line |
| 21 | 14 | Right: 2.0 steps inside 40 yd In | 8.0 steps behind Home side line |
| 22 | 12 | Right: 0.5 steps inside 40 yd In | 11.5 steps behind Home side line |
| 23 | 16 | Right: 1.0 steps inside 30 yd In | 10.0 steps behind Home side line |
| 23A | 4 | Right: 1.0 steps inside 30 yd In | 10.0 steps behind Home side line |
| 24 | 8 | Right: 1.0 steps inside 30 yd In | 10.0 steps behind Home side line |
| 25 | 8 | Right: 1.25 steps inside 30 yd In | 3.0 steps behind Home side line |
| 26 | 16 | Right: 2.25 steps inside 40 yd In | 2.0 steps behind Home side line |
| 26A | 20 | Right: 2.25 steps inside 40 yd In | 2.0 steps behind Home side line |
| 26B | 4 | Right: 2.25 steps inside 40 yd In | 2.0 steps behind Home side line |
| 27 | 8 | Right: 2.0 steps outside 40 yd In | 6.0 steps behind Home side line |
| 27A | 36 | Right: 2.0 steps outside 40 yd In | 6.0 steps behind Home side line |
| 28 | 16 | Right: 3.0 steps inside 30 yd In | 8.5 steps behind Home side line |
| 29 | 16 | Right: 1.25 steps outside 40 yd In | 5.5 steps behind Home side line |
| 30 | 16 | Right: 2.25 steps inside 45 yd In | 2.5 steps behind Home side line |
| 31 | 20 | Left: 2.5 steps inside 45 yd In | 3.75 steps behind Home side line |
| 31A | 12 | Left: 2.5 steps inside 45 yd In | 3.75 steps behind Home side line |

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|------------------------------------|---------------------------------------|
| 16A | 0 | Left: 3.0 steps outside 35 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: 4.0 steps outside 45 yd In | 6.0 steps behind Home side line |
| 18 | 15 | Right: 0.5 steps outside 50 yd In | 10.75 steps behind Home side line |
| 19 | 12 | Left: 1.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 19A | 12 | Left: 1.0 steps outside 50 yd In | 14.0 steps behind Home side line |
| 20 | 19 | Right: 1.0 steps inside 40 yd In | 14.0 steps behind Home side line |
| 20A | 8 | Right: 1.0 steps inside 40 yd In | 14.0 steps behind Home side line |
| 21 | 14 | Right: 2.0 steps outside 45 yd In | 8.0 steps behind Home side line |
| 22 | 12 | Right: 0.5 steps outside 40 yd In | 12.0 steps in front of Home Hash (HS) |
| 23 | 16 | Right: 3.0 steps outside 30 yd In | 11.75 steps behind Home side line |
| 23A | 4 | Right: 3.0 steps outside 30 yd In | 11.75 steps behind Home side line |
| 24 | 8 | Right: 3.0 steps outside 30 yd In | 11.75 steps behind Home side line |
| 25 | 8 | Right: 3.25 steps outside 30 yd In | 4.25 steps behind Home side line |
| 26 | 16 | Right: 3.0 steps outside 40 yd In | 2.5 steps behind Home side line |
| 26A | 20 | Right: 3.0 steps outside 40 yd In | 2.5 steps behind Home side line |
| 26B | 4 | Right: 3.0 steps outside 40 yd In | 2.5 steps behind Home side line |
| 27 | 8 | Right: 0.5 steps outside 35 yd In | 7.25 steps behind Home side line |
| 27A | 36 | Right: 0.5 steps outside 35 yd In | 7.25 steps behind Home side line |
| 28 | 16 | Right: 0.5 steps outside 30 yd In | 13.5 steps behind Home side line |
| 29 | 16 | Right: 2.75 steps inside 35 yd In | 9.0 steps behind Home side line |
| 30 | 16 | Right: 2.0 steps outside 45 yd In | 4.25 steps behind Home side line |
| 31 | 20 | Left: 0.75 steps outside 50 yd In | 2.5 steps behind Home side line |
| 31A | 12 | Left: 0.75 steps outside 50 yd In | 2.5 steps behind Home side line |

| Set | Counts | Left-Right | Home-Visitor |
|-----|--------|------------------------------------|----------------------------------|
| 16A | 0 | Left: 1.0 steps outside 30 yd In | 4.0 steps behind Home side line |
| 17 | 16 | Left: 4.0 steps outside 40 yd In | 5.25 steps behind Home side line |
| 18 | 15 | Left: 3.25 steps inside 45 yd In | 5.75 steps behind Home side line |
| 19 | 12 | On 50 yd In | 12.0 steps behind Home side line |
| 19A | 12 | On 50 yd In | 12.0 steps behind Home side line |
| 20 | 19 | Right: On 40 yd In | 12.0 steps behind Home side line |
| 20A | 8 | Right: On 40 yd In | 12.0 steps behind Home side line |
| 21 | 14 | Right: 3.0 steps outside 45 yd In | 6.0 steps behind Home side line |
| 22 | 12 | Right: 2.75 steps inside 40 yd In | 7.5 steps behind Home side line |
| 23 | 16 | Right: 3.5 steps outside 35 yd In | 7.5 steps behind Home side line |
| 23A | 4 | Right: 3.5 steps outside 35 yd In | 7.5 steps behind Home side line |
| 24 | 8 | Right: 3.5 steps outside 35 yd In | 7.5 steps behind Home side line |
| 25 | 8 | Right: 2.25 steps outside 35 yd In | 3.25 steps behind Home side line |
| 26 | 16 | Right: 0.5 steps outside 45 yd In | 3.0 steps behind Home side line |
| 26A | 20 | Right: 0.5 steps outside 45 yd In | 3.0 steps behind Home side line |
| 26B | 4 | Right: 0.5 steps outside 45 yd In | 3.0 steps behind Home side line |
| 27 | 8 | Right: 3.5 steps outside 45 yd In | 5.75 steps behind Home side line |
| 27A | 36 | Right: 3.5 steps outside 45 yd In | 5.75 steps behind Home side line |
| 28 | 16 | Right: On 35 yd In | 4.75 steps behind Home side line |
| 29 | 16 | Right: 3.5 steps inside 40 yd In | 3.25 steps behind Home side line |
| 30 | 16 | Right: 1.25 steps outside 50 yd In | 1.75 steps behind Home side line |
| 31 | 20 | Left: 2.0 steps outside 45 yd In | 5.5 steps behind Home side line |
| 31A | 12 | Left: 2.0 steps outside 45 yd In | 5.5 steps behind Home side line |